

WEST Search History for Application 10749957

Creation Date: 2009012021:14

Query	DB	Op.	Plur.	Thes.	Date
((configur\$5 near3 data) and (portion\$3 or segment\$5)).pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-02-2008
((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-02-2008
((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-02-2008
((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3))) and lock\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-02-2008
((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3)) and lock\$3) and central	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-02-2008
((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3)) and lock\$3 and central) and database\$1	PGPB, USPT, USOC, EPAB, JPAB,	OR			07-02-2008

	DWPI, TDBD				
((((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3)) and lock\$3) not (((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3)) and lock\$3 and central and database\$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-02-2008
(configur\$5 and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-02-2008
((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-02-2008
((((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab.) and distribut\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-02-2008
((((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and distribut\$3) and central	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-02-2008
((((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and distribut\$3 and central) and (database or storage)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			07-02-2008
((configur\$5 near3 data) and (portion\$3 or segment\$5)).pn.	PGPB, USPT,	OR			10-23-2008

	USOC, EPAB, JPAB, DWPI, TDBD				
((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3))) and lock\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3)) and lock\$3) and central	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3)) and lock\$3 and central) and database\$1	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3)) and lock\$3) not ((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3)) and lock\$3 and central and database\$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR			10-23-2008

	TDBD				
((configur\$5 and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab.) and distribut\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and distribut\$3) and central	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and distribut\$3 and central) and (database or storage)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((configur\$5 near3 data) and (portion\$3 or segment\$5)).pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-20-2009
((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3))	PGPB, USPT, USOC,	OR			01-20-2009

	EPAB, JPAB, DWPI, TDBD				
((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-20-2009
((((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3))) and lock\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-20-2009
((((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3)) and lock\$3) and central	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-20-2009
((((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3)) and lock\$3 and central) and database\$1	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-20-2009
((((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3)) and lock\$3) not (((configur\$5 near3 data) near5 (portion\$3 or segment\$5) near5 (updat\$3 or modif\$3)) and lock\$3 and central and database\$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-20-2009
(configur\$5 and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-20-2009

((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-20-2009
((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab.) and distribut\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-20-2009
((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and distribut\$3) and central	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-20-2009
((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and distribut\$3 and central) and (database or storage)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-20-2009
(20060010438 or 20040019639).pm.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		01-20-2009
(20060010438 or 20040019639).pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		01-20-2009
707/\$.ccls.	PGPB, USPT, USOC, EPAB,	OR	YES		01-20-2009

	JPAB, DWPI, TDBD				
((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3))) and (707/\$.ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		01-20-2009
((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab.) and (((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3)) and 707/\$.ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		01-20-2009
709/\$.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		01-20-2009
((configur\$5 and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab.) and (709/\$.ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		01-20-2009
((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3))) and (709/\$.ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		01-20-2009
((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab.) and (((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3)) and 709/\$.ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		01-20-2009
717/\$.ccls.		OR	YES		01-20-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3))) and (717/\$.ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		01-20-2009
((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab.) and (((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3)) and 717/\$.ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		01-20-2009
((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and ((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3)) and 707/\$.ccls.) or (((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and ((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3)) and 709/\$.ccls.) or (((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and ((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3)) and 717/\$.ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		01-20-2009
((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and ((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3)) and 707/\$.ccls. or ((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and ((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3)) and 709/\$.ccls. or ((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and ((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3)) and 717/\$.ccls.) not @AD>20031230	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		01-20-2009
((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and	PGPB, USPT,	OR	YES		01-20-2009

((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3)) and 707/\$.ccls. or ((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and ((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3)) and 709/\$.ccls. or ((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and ((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3)) and 717/\$.ccls.) not (((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and ((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3)) and 707/\$.ccls. or ((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and ((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3)) and 709/\$.ccls. or ((configur\$5 near3 (file\$ or record\$1 or data)) and (portion\$3 or segment\$3) and (updat\$3 or modif\$3)).ab. and ((configur\$5 near3 data) same (portion\$3 or segment\$5) same (updat\$3 or modif\$3)) and 717/\$.ccls. not @AD>20031230)	USOC, EPAB, JPAB, DWPI, TDBD				
---	--	--	--	--	--